

FIG. 1
PRIOR ART




FIG. 2A
PRIOR ART




FIG. 2B
PRIOR ART




FIG. 2D
PRIOR ART




FIG. 2C
PRIOR ART




FIG.3




FIG.4A

FIG. 4B is a perspective view of the device 100 in a second position, where the handle 22 is rotated about the pivot 24 to a position where the handle 22 is parallel to the shaft 21. The handle 22 is shown in a dashed line to indicate its position in the second position. The handle 22 is shown in a solid line to indicate its position in the first position. The handle 22 is shown in a dashed line to indicate its position in the second position. The handle 22 is shown in a solid line to indicate its position in the first position.





FIG. 4B



5.5




FIG. 6




FIG. 7

FIG. 1 is a perspective view of a prior art stroller, showing the frame, wheels, and canopy. The stroller is shown in a folded position, with the handlebars and seat area collapsed. The frame is made of metal tubing, and the wheels are attached to the bottom of the frame. The canopy is a fabric cover that can be extended over the seat area. The handlebars are connected to the frame by a hinge mechanism, allowing them to be folded down. The seat area is also folded down, and the entire stroller is compact and easy to store.




FIG. 1
PRIOR ART

FIG. 2A




FIG. 2B
PRIOR ART




FIG. 2A
PRIOR ART

FIG. 2C




FIG. 2C
PRIOR ART




FIG. 2D
PRIOR ART




FIG. 3




FIG. 4A




FIG. 4B

FIG. 5 is a perspective view of the assembly 100 in a disassembled state, showing the components 121, 23, 31, 32, 34, 41, 42, 50, and 51. The components are arranged in a disassembled state, with dashed lines indicating their relative positions and assembly relationships. The components 121, 23, 31, 32, 34, 41, 42, 50, and 51 are shown in a disassembled state, with dashed lines indicating their relative positions and assembly relationships.




FIG. 5




FIG. 6




FIG. 7